

LEGEND



Application of Speaking Valve



Tracheostomy



Mechanical Ventilation



Advanced Dysphagia



Multidisciplinary Team



Patient Communication



Therapy Technique



Early Intervention



Quality of Life



Anatomy & Physiology

- AARC Clinical practice guideline: Pulmonary rehabilitation. (2002). *Respiratory Care*, 37(5), 617-25.
- Abraham, S. S. & Wolf, E. L. (2000). Swallowing physiology of toddlers with long-term tracheostomies: A preliminary study. *Dysphagia*, 15(4), 206-212. doi:10.1007/s004550000029
- Adler, J. & Malone, D. (2012). Early mobilization in the intensive care unit: A systematic review. *Cardiopulmonary Physical Therapy Journal*, 23(1), 5-13.
- Agency for Healthcare Research and Quality, Rockville, MD. Guide to patient and family engagement in hospital quality and safety. Content last reviewed June 2013. <http://www.ahrq.gov/professionals/systems/hospital/engagingfamilies/index.html>
- Allen, C., Glasziou, P., & Del Mar, C. (1999). Bed rest: A potentially harmful treatment needing more careful evaluation. *Lancet*, 354(9186), 1229-1233. doi:10.1016/s0140-6736(98)10063-6
- Amathieu, R., Sauvat, S., Reynaud, P., Slavov, V., Luis, D., Dinca, A., ... Dhonneur, G. (2012). Influence of the cuff pressure on the swallowing reflex in tracheostomized intensive care unit patients. *British Journal of Anaesthesia*, 109(4), 578-583. doi:10.1093/bja/aes210
- Bach, J. R., & Esquinas, A. M. (2013). Speech and mechanical ventilation. *Chest*, 144(5), 1739-1740. doi:10.1378/chest.13-1506
- Bailey, P., Thomsen, G. E., Spuhler, V. J., Blair, R., Jewkes, J., Bezdjian, L., ... Hopkins, R. O. (2007). Early activity is feasible and safe in respiratory failure patients. *Critical Care Medicine*, 35(1), 139-145. doi:10.1097/01.ccm.0000251130.69568.87
- Blumenfield, L., Salgado, M., Wade, K., Dhupa, A., Ling, E., & Belafsky, P. (2011). The effects of tracheostomy speaking valve use on disordered swallowing. DRS Poster presentation.
- Bonanno, P. C. (1971). Swallowing dysfunction after tracheostomy. *Annals of Surgery*, 174(1), 29-33. doi:10.1097/00000658-197107010-00005
- Bosma, K. J., Read, B. A., Nikoo, M. J., Jones, P. M., Priestap, F. A., & Lewis, J. F. (2016). A pilot randomized trial comparing weaning from mechanical ventilation on pressure support versus proportional assist ventilation. *Critical Care Medicine*, 44(6), 1098-1108. doi:10.1097/ccm.0000000000001600
- Brady, S. L., Hildner, C. D., & Hutchins, B. F. (1999). Simultaneous videofluoroscopic swallow study and modified Evans blue dye procedure: An evaluation of blue dye visualization in cases of known aspiration. *Dysphagia*, 14(3), 146-149. doi:10.1007/pl00009596
- Bultsma, R., Koopmans, M., Kuiper, M., & Egbers, P. (2014). Ability to speak in ventilator-dependent tracheostomized ICU patients. *Critical Care*, 18(Suppl 1), P323. doi:10.1186/cc13513
- Burkhead, L. M., Sapienza, C. M., & Rosenbek, J. C. (2007). Strength-training exercise in dysphagia rehabilitation: Principles, procedures, and directions for future research. *Dysphagia*, 22(3), 251-265. doi:10.1007/s00455-006-9074-z
- Burkhead, L. M. (2011). Swallowing evaluation and ventilator dependency – considerations and contemporary approaches. *Perspectives on Swallowing and Swallowing Disorders (Dysphagia)*, 20(1), 18. doi:10.1044/sasd20.1.18

-   Cameron, T. S., McKinstry, A., Burt, S. K., Howard, M. E., Bellomo, R., Brown, D. J., ... O'Donoghue, F. J. (2009). Outcomes of patients with spinal cord injury before and after introduction of an interdisciplinary tracheostomy team. *Critical Care and Resuscitation*, 11(1), 14-19.
-    Carmona, A. F., Díaz, M. A., Alonso, E. A., Guarasa, I. M., López, P. M., & Castellanos, M. D. (2015). Use of speaking valve on preventing respiratory infections in critical tracheostomized patients diagnosed of dysphagia secondary to artificial airway. Edisval study. *Intensive Care Medicine Experimental*, 3(Suppl 1). doi:10.1186/2197-425x-3-s1-a936
-   Chen, Y., Jacobs, W. J., Quan, S. F., Figueredo, A. J., & Davis, A. H. (2011). Psychophysiological determinants of repeated ventilator weaning failure: An explanatory model. *American Journal of Critical Care*, 20(4), 292-302. doi:10.4037/ajcc2011886
-   Coyle, J. L. (2014). Dysphagia following prolonged endotracheal intubation: Is there a rule of thumb? *Perspectives on Swallowing and Swallowing Disorders (Dysphagia)*, 23(2), 80. doi:10.1044/sasd23.2.80
-   Davis, D. G., Bears, S., Barone, J. E., Corvo, P. R., & Tucker, J. B. (2002). Swallowing with a tracheostomy tube in place: Does cuff inflation matter? *Journal of Intensive Care Medicine*, 17(3), 132-135. doi:10.1177/088506660201700304
-  Davis, P. R., & Troup, J. D. (1964). Pressures in the trunk cavities when pulling, pushing and lifting. *Ergonomics*, 7(4), 465-474. doi:10.1080/00140136408930764
-  de Jonghe, B., Lacherade, J. C., Sharshar, T., & Outin, H. (2009). Intensive care unit-acquired weakness: Risk factors and prevention. *Critical Care Medicine*, 37(10 Suppl), S309-315 doi:10.1097/CCM.0b013e3181b6e64c
-     de Mestral, C. (2011). Impact of a specialized multidisciplinary tracheostomy team on tracheostomy care in critically ill patients. *Canadian Journal of Surgery*, 54(3), 167-172. doi:10.1503/cjs.043209
-    Dean, E., & Frownfelter, D. L. (2005). *Cardiovascular and Pulmonary Physical Therapy* (4th ed.). St. Louis, MO: Elsevier/Mosby.
-    Dettelbach, M. A., Gross, R. D., Mahlmann, J., & Eibling, D. E. (1995). Effect of the Passy-Muir valve on aspiration in patients with tracheostomy. *Head & Neck*, 17(4), 297-302. doi:10.1002/hed.2880170405
-   Ding, R., & Logemann, J. A. (2005). Swallow physiology in patients with trach cuff inflated or deflated: A retrospective study. *Head & Neck*, 27(9), 809-813. doi:10.1002/hed.20248
-   Donzelli, J., Brady, S., Wesling, M., & Craney, M. (2001). Simultaneous modified Evans blue dye procedure and video nasal endoscopic evaluation of the swallow. *The Laryngoscope*, 111(10), 1746-1750. doi:10.1097/00005537-200110000-00015
-   Donzelli, J., Brady, S., Wesling, M., & Theisen, M. (2006). Secretions, occlusion status, and swallowing in patients with a tracheotomy tube: A descriptive study. *Ear Nose Throat Journal*, 85(12), 831-834.
-   Durbin, C. G., Jr. (2010). Tracheostomy: Why, when, and how? *Respiratory Care*, 55(8), 1056-1068.
-    Egbers, P. H., Bultsma, R., Middelkamp, H., & Boerma, E. C. (2014). Enabling speech in ICU patients during mechanical ventilation. *Intensive Care Medicine*, 40(7), 1057-1058. doi:10.1007/s00134-014-3315-7
-   Eibling, D. E., & Gross, R. D. (1996). Subglottic air pressure: A key component of swallowing efficiency. *Annals of Otology, Rhinology & Laryngology*, 105(4), 253-258. doi:10.1177/000348949610500401
-   Elpern, E. H., Okonek, M. B., Bacon, M., Gerstung, C., & Skrzynski, M. (2000). Effect of the Passy-Muir tracheostomy speaking valve on pulmonary aspiration in adults. *Heart & Lung: The Journal of Acute and Critical Care*, 29(4), 287-293. doi:10.1067/mhl.2000.106941
-   Elpern, E. H., Scott, M. G., Petro, L., & Ries, M. H. (1994). Pulmonary aspiration in mechanically ventilated patients with tracheostomies. *Chest*, 105(2), 563-566. doi:10.1378/chest.105.2.563

-     Fisher, D. F., Kondili, D., Williams, J., Hess, D. R., Bittner, E. A., & Schmidt, U. H. (2013). Tracheostomy tube change before day 7 is associated with earlier use of speaking valve and earlier oral intake. *Respiratory Care*, 58(2), 257-263. doi:10.4187/respcare.01714
-      Ford, D. W., & Martin-Harris, B. (2016). I miss the sound of your voice. *Critical Care Medicine*, 44(6), 1234-1235. doi:10.1097/ccm.0000000000001749
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). Return of voice for ventilated tracheostomy patients in ICU. *Critical Care Medicine*, 44(6), 1075-1081. doi:10.1097/ccm.0000000000001610
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). An intervention to allow early speech in ventilated tracheostomy patients in an Australian intensive care unit (ICU): A randomised controlled trial. *Australian Critical Care*, 29(2), 114. doi:10.1016/j.aucc.2015.12.012
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). Quality of life improves with return of voice in tracheostomy patients in intensive care: An observational study. *Journal of Critical Care*, 33, 186-191. doi:10.1016/j.jcrc.2016.01.012
-  Gandevia, S. C., Butler, J. E., Hodges, P. W., & Taylor, J. L. (2002). Balancing acts: Respiratory sensations, motor control and human posture. *Clinical and Experimental Pharmacology and Physiology*, 29(1-2), 118-121. doi:10.1046/j.1440-1681.2002.03611.x
-   Geddes, L., O'Brien, K., Reid, W. D., Brooks, D., & Crowe, J. (2008). Inspiratory muscle training in adults with chronic obstructive pulmonary disease: An update of a systematic review. *Respiratory Medicine*, 102(12), 1715-1729. doi:10.1016/j.rmed.2008.07.005
-   Griffiths, R. D., Palmer, T. E., Helliwell, T., MacLennan, P., & MacMillan, R. R. (1995). Effect of passive stretching on the wasting of muscle in the critically ill. *Nutrition*, 11(5), 428-432. doi:10.1016/s0899-9007(96)00372-3
-  Griffiths, R. D., & Jones, C. (1999). ABC of intensive care: Recovery from intensive care. *British Medical Journal*, 319(7207), 427-429. doi:10.1136/bmj.319.7207.427
-  Gross, R. D., Steinhauer, K. M., Zajac, D. J., & Weissler, M. C. (2006). Direct measurement of subglottic air pressure while swallowing. *The Laryngoscope*, 116(5), 753-761. doi:10.1097/01.mlg.0000205168.39446.12
-  Gross, R. D., Atwood, C. W., Grayhack, J. P., Jr., & Shaiman, S. (2003). Lung volume effects on pharyngeal swallowing physiology. *Journal of Applied Physiology*, 95(6), 2211-2217. doi:10.1152/japplphysiol.00316.2003
-   Gross, R. D., Mahlmann, J., & Grayhack, J. P. (2003). Physiologic effects of open and closed tracheostomy tubes on the pharyngeal swallow. *Annals of Otology, Rhinology & Laryngology*, 112(2), 143-152. doi:10.1177/000348940311200207
-  Gross, R. D., Atwood, C. W., Jr., Ross, S. B., Olszewski, J. W., & Eichhorn, K. A. (2009). The coordination of breathing and swallowing in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 179(7), 559-565. doi:10.1164/rccm.200807-1139oc
-    Grossbach, I., Stranberg, S., & Chlan, L. (2010). Promoting effective communication for patients receiving mechanical ventilation. *Critical Care Nurse*, 31(3), 46-60. doi:10.4037/ccn2010728
-   Grosu, H. B., Lee, Y. I., Lee, J., Eden, E., Eikermann, M., & Rose, K. M. (2012). Diaphragm muscle thinning in patients who are mechanically ventilated. *Chest*, 142(6), 1455-1460. doi:10.1378/chest.11-1638
-   Guttormson, J. L., Bremer, K. L., & Jones, R. M. (2015). "Not being able to talk was horrid": A descriptive, correlational study of communication during mechanical ventilation. *Intensive and Critical Care Nursing*, 31(3), 179-186. doi:10.1016/j.iccn.2014.10.007
-   Hagins, M., & Lamberg, E. M. (2006). Natural breath control during lifting tasks: Effect of load. *European Journal of Applied Physiology*, 96(4), 453-458. doi:10.1007/s00421-005-0097-1

-   Hagins, M., Pietrek, M., Sheikhzadeh, A., Nordin, M., & Axen, K. (2004). The effects of breath control on intra-abdominal pressure during lifting tasks. *Spine*, 29(4), 464-469. doi:10.1097/01.brs.0000092368.90019.d8
-   Hamaoui, A., Gonneau, E., & Bozec, S. L. (2010). Respiratory disturbance to posture varies according to the respiratory mode. *Neuroscience Letters*, 475(3), 141-144. doi:10.1016/j.neulet.2010.03.064
-   Hårdemark Cedborg, A., Sundman, E., Bodén, K., Hedström, H. W., Kuyljenstierna, R., Ekberg, O., & Eriksson, L. I. (2009). Co-ordination of spontaneous swallowing with respiratory airflow and diaphragmatic and abdominal muscle activity in healthy adult humans. *Experimental Physiology*, 94(4), 459-468. doi:10.1113/expphysiol.2008.045724
-   Hashmi, N. K., Ransom, E., Nardone, H., Redding, N., & Mirza, N. (2010). Quality of life and self-image in patients undergoing tracheostomy. *The Laryngoscope*, 120(S4). doi:10.1002/lary.21663
-  HCAHPS. (2016). Patients' perspectives of care survey - Centers for Medicare & Medicaid services. Retrieved April 8, 2016, from <https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-instruments/HospitalQualityInits/HospitalHCAHPS.html>
-    Heffner, J. E. (2005). Management of the chronically ventilated patient with a tracheostomy. *Chronic Respiratory Disease*, 2(3), 151-161. doi:10.1191/1479972305cd084ra
-   Hernandez, G., Pedrosa, A., Ortiz, R., Accuaroni, M. D., Cuena, R., Collado, C. V., ... Fernandez, R. (2013). The effects of increasing effective airway diameter on weaning from mechanical ventilation in tracheostomized patients: A randomized controlled trial. *Intensive Care Medicine*, 39(6), 1063-1070. doi:10.1007/s00134-013-2870-7
-  Hiss, S. G., Strauss, M., Treole, K., Stuart, A., & Boutilier, S. (2003). Swallowing apnea as a function of airway closure. *Dysphagia*, 18(4), 293-300. doi:10.1007/s00455-003-0021-y
-   Hodges, P. W., & Gandevia, S. C. (2000). Changes in intra-abdominal pressure during postural and respiratory activation of the human diaphragm. *Journal of Applied Physiogy*, 89(3), 967-976.
-    Hofmann, L., Bolton, J., & Ferry, S. (2008). Passy-Muir speaking valve use in a children's hospital: An interdisciplinary approach. *Perspectives: ASHA*, 18(2), 76-86. doi:10.1044/vvd18.2.76
-   Hoit, J. D., Banzett, R. B., Lohmeier, H. L., Hixon, T. J., & Brown, R. (2003). Clinical ventilator adjustments that improve speech. *Chest*, 124(4), 1512-1521. doi:10.1378/chest.124.4.1512
-    Johnson, D. C., Campbell, S. L., & Rabkin, J. D. (2009). Tracheostomy tube manometry: Evaluation of speaking valves, capping and need for downsizing. *The Clinical Respiratory Journal*, 3(1), 8-14. doi:10.1111/j.1752-699x.2008.00100.x
-  Kamel, K. S., Beckert, L. E., & Stringer, M. D. (2009). Novel insights into the elastic and muscular components of the human trachea. *Clinical Anatomy*, 22(6), 689-697. doi:10.1002/ca.20841
-    Khalaila, R., Zbidat, W., Anwar, K., Bayya, A., Linton, D. M., & Sviri, S. (2011). Communication difficulties and psychoemotional distress in patients receiving mechanical ventilation. *American Journal of Critical Care*, 20(6), 470-479. doi:10.4037/ajcc2011989
-   Laciuga, H., Rosenbek, J. C., Davenport, P. W., & Sapienza, C. M. (2014). Functional outcomes associated with expiratory muscle strength training: Narrative review. *Journal of Rehabilitation Research and Development*, 51(4), 535-546. doi:10.1682/jrrd.2013.03.0076
-   Lamberg, E. M., & Hagins, M. (2013). Breath control during a tiptoe task. *Physiotherapy Theory and Practice*, 30(3), 178-182. doi:10.3109/09593985.2013.834527
-   Leblanc, J., Shultz, J. R., Seresova, A., Guise, E. D., Lamoureux, J., Fong, N., ... Khwaja, K. (2010). Outcome in tracheostomized patients with severe traumatic brain injury following implementation of a specialized multidisciplinary tracheostomy team. *Journal of Head Trauma Rehabilitation*, 25(5), 362-365. doi:10.1097/htr.0b013e3181cd67ea

-   Lichtman, S. W., Birnbaum, I. L., Sanfilippo, M. R., Pellicone, J. T., Damon, W. J., & King, M. L. (1995). Effect of a tracheostomy speaking valve on secretions, arterial oxygenation, and olfaction: A quantitative evaluation. *Journal of Speech Language and Hearing Research*, 38(3), 549-555. doi:10.1044/jshr.3803.549
-  Limaye, S. S., Katz, P. (2006). Challenges of pain assessment and management in the minority elderly population. *Annals of Long-Term Care*, 14(11), 34.
-  Lord, R. K., Mayhew, C. R., Korupolu, R., Manthei, E. C., Friedman, M. A., Palmer, J. B., & Needham, D. M. (2013). ICU early physical rehabilitation programs. *Critical Care Medicine*, 41(3), 717-724. doi:10.1097/ccm.0b013e3182711de2
-    Manzano, J. L., Lubillo, S., Henríquez, D., Martín, J. C., Pérez, M. C., & Wilson, D. J. (1993). Verbal communication of ventilator-dependent patients. *Critical Care Medicine*, 21(4), 512-517. doi:10.1097/00003246-199304000-00009
-    Massery, M. (2014). Expert interview: The role of the Passy-Muir valve in physical therapy. *Talk Muir* (3 Feb. 2014): 2-4
-   Massery, M. (2006). Multisystem consequences of impaired breathing mechanics and/or postural control in cardiovascular and pulmonary physical therapy evidence and practice. (4th ed.) In Frownfelter, D. & Dean, E., (Eds.) St. Louis, MO: Elsevier Health Sciences, 695.
-  Massery, M., Hagens, M., Stafford, R., Moerchen, V., & Hodges, P. W. (2013). Effect of airway control by glottal structures on postural stability. *Journal of Applied Physiology*, 115(4), 483-490. doi:10.1152/japplphysiol.01226.2012
-   McGrath, B., Lynch, J., Wilson, M., Nicholson, L., & Wallace, S. (2015). Above cuff vocalisation: A novel technique for communication in the ventilator-dependent tracheostomy patient. *Journal of the Intensive Care Society*, 17(1), 19-26. doi:10.1177/1751143715607549
-    Mirzakhani, H., Williams, J., Mello, J., Joseph, S., Meyer, M. J., Waak, K., ... Eikermann, M. (2013). Muscle weakness predicts pharyngeal dysfunction and symptomatic aspiration in long-term ventilated patients. *Anesthesiology*, 119(2), 389-397. doi:10.1097/alan.0b013e31829373fe
-   Morris, P. E., Goad, A., Thompson, C., Taylor, K., Harry, B., Passmore, L., ... Haponik, E. (2008). Early intensive care unit mobility therapy in the treatment of acute respiratory failure. *Critical Care Medicine*, 36(8), 2238-2243. doi:10.1097/ccm.0b013e318180b90e
-   Morris, P. E., Griffin, L., Thompson, C., Hite, R. D., Haponik, E., Berry, M., ... Leach, S. (2011). Receiving early mobility during an intensive care unit admission is a predictor of improved outcomes in acute respiratory failure. *The American Journal of the Medical Sciences*, 341(5), 373-377. doi:10.1097/maj.0b013e31820ab4f6
-  Muz, J., Mathog, R. H., Rosen, R., Miller, P. R., & Borrero, G. (1987). Detection and quantification of laryngotracheopulmonary aspiration with scintigraphy. *The Laryngoscope*, 97(10), 1180-1185. doi:10.1288/00005537-198710000-00012
-   Nabozny, M. J., Barnato, A. E., Rathouz, P. J., Havlena, J. A., Kind, A. J., Ehlenbach, W. J., ... Schwarze, M. L. (2016). Trajectories and prognosis of older patients who have prolonged mechanical ventilation after high-risk surgery. *Critical Care Medicine*, 44(6), 1091-1097. doi:10.1097/ccm.0000000000001618
-   Needham, D. M. (2008). Mobilizing patients in the intensive care unit improving neuromuscular weakness and physical function. *Journal of the American Medical Association*, 300(14), 1685-1690. doi:10.1001/jama.300.14.1685
-   Needham, D. M., Korupolu, R., Zanni, J. M., Pradhan, P., Colantuoni, E., Palmer, J. B., ... Fan, E. (2010). Early physical medicine and rehabilitation for patients with acute respiratory failure: A quality improvement project. *Archives of Physical Medicine and Rehabilitation*, 91(4), 536-542. doi:10.1016/j.apmr.2010.01.002

-  Orlikoff, R. F. (2008). Voice production during a weightlifting and support task. *Folia Phoniatrica Et Logopaedica*, 60(4), 188-194. doi:10.1159/000128277
-  Passy, V., Baydur, A., Prentice, W., & Darnell-Neal, R. (1993). Passy-Muir tracheostomy speaking valve on ventilator-dependent patients. *The Laryngoscope*, 103(6), 653-658. doi:10.1288/00005537-199306000-00013
-  Perme, C., & Chandrashekhar, R. K. (2008). Managing the patient on mechanical ventilation in ICU: Early mobility and walking program. *Acute Care Perspectives*, 17(1), 10-15.
-  Peruzzi, W., Logemann, J., Currie, D., & Moen, S. (2001). Assessment of aspiration in patients with tracheostomies: Comparison of bedside colored dye assessment with videofluoroscopic examination. *Respiratory Care*, 46(3), 243-247.
-  Peterson, M. C., Holbrook, J. H., Von Hales, D., Smith, N. L., & Staker, L. V. (1992). Contributions of the history, physical examination, and laboratory investigation in making medical diagnoses. *Western Journal of Medicine*, 156(2), 163-165.
-  Pitts, T., Bolser, D., Rosenbek, J., Troche, M., Okuri, M. S., & Sapienza, C. (2009). Impact of expiratory muscle strength training on voluntary cough and swallow function in Parkinson disease. *Chest*, 135(5), 1301-1308. doi:10.1378/chest.08-1389
-  Prigent, H., Lejaille, M., Terzi, N., Annane, D., Figere, M., Orlikowski, D., & Lofaso, F. (2011). Effect of a tracheostomy speaking valve on breathing–swallowing interaction. *Intensive Care Medicine*, 38(1), 85-90. doi:10.1007/s00134-011-2417-8
-  Rajajee, V., Williamson, C. A., & West, B. T. (2015). Impact of real-time ultrasound guidance on complications of percutaneous dilatational tracheostomy: A propensity score analysis. *Critical Care*, 19(1), 198. doi:10.1186/s13054-015-0924-7
-  Rodrigues, K. A., Machado, F. R., Chiari, B. M., Rossetti, H. B., Lorenzon, P., & Gonçalves, M. I. (2015). Swallowing rehabilitation of dysphagic tracheostomized patients under mechanical ventilation in intensive care units: A feasibility study. *Revista Brasileira De Terapia Intensiva*, 27(1), 64-71. doi:10.5935/0103-507x.20150011
-  Ross, J., & White, M. (2003). Removal of the tracheostomy tube in the aspirating spinal cord-injured patient. *Spinal Cord*, 41(11), 636-642. doi:10.1038/sj.sc.3101510
-  Sapienza, C., Trocher, M. (2012). *Respiratory Muscle Strength Training Theory and Practice*. San Diego, CA: Plural Publishing.
-  Schellekens, W. M., Hees, H. W., Doorduin, J., Roesthuis, L. H., Scheffer, G. J., Hoeven, J. G., & Heunks, L. M. (2016). Strategies to optimize respiratory muscle function in ICU patients. *Critical Care*, 20(1), 103. doi:10.1186/s13054-016-1280-y
-  Sciaky, A. J. (1994). Mobilizing the intensive care unit patient: Pathophysiology and treatment. *Physical Therapy Practice*, 3(2), 69-80.
-  Shaker, R., Milbrath, M., Ren, J., Campbell, B., Toohill, R., & Hogan, W. (1995). Deglutitive aspiration in patients with tracheostomy: Effect of tracheostomy on the duration of vocal cord closure. *Gastroenterology*, 108(5), 1357-1360. doi:10.1016/0016-5085(95)90682-7
-  Shea, M. & McDonald, D. D. (2010). Factors associated with increased pain communication by older adults. *Western Journal of Nursing Research*, 33(2), 196-206. doi:10.1177/0193945910372775
-  Siebens, A. A., Tippett, D. C., Kirby, N., & French, J. (1993). Dysphagia and expiratory air flow. *Dysphagia*, 8(3), 266-269. doi:10.1007/bf01354549
-  Speed, L., & Harding, K. E. (2013). Tracheostomy teams reduce total tracheostomy time and increase speaking valve use: A systematic review and meta-analysis. *Journal of Critical Care*, 28(2), 216.e1-10. doi:10.1016/j.jcrc.2012.05.005

-  Stachler, R. J., Hamlet, S. L., Choi, J., & Fleming, S. (1996). Scintigraphic quantification of aspiration reduction with the Passy-Muir valve. *The Laryngoscope*, 106(2), 231-234. doi:10.1097/00005537-199602000-00024
-  Suiter, D. M., McCullough, G. H., & Powell, P. W. (2003). Effects of cuff deflation and one-way tracheostomy speaking valve placement on swallow physiology. *Dysphagia*, 18(4), 284-292. doi:10.1007/s00455-003-0022-x
-  Supinski, G. S., & Callahan, L. A. (2013). Diaphragm weakness in mechanically ventilated critically ill patients. *Critical Care*, 17(3), R120. doi:10.1186/cc12792
-  Sutt, A., Caruana, L. R., Dunster, K. R., Cornwell, P. L., & Fraser, J. F. (2015). Improved lung recruitment and diaphragm mobility with an in-line speaking valve in tracheostomised mechanically ventilated patients – An observational study. *Australian Critical Care*, 28(1), 45. doi:10.1016/j.aucc.2014.10.021
-  Sutt, A., Caruana, L. R., Dunster, K. R., Cornwell, P. L., Anstey, C. M., & Fraser, J. F. (2016). Speaking valves in tracheostomised ICU patients weaning off mechanical ventilation - do they facilitate lung recruitment? *Critical Care*, 20(1), 91. doi:10.1186/s13054-016-1249-x
-  Sutt, A., Cornwell, P. L., Caruana, L. R., Dunster, K. R., & Fraser, J. F. (2015). Speaking valves in mechanically ventilated ICU patients - Improved communication and improved lung recruitment. *American Journal of Respiratory Critical Care Medicine*, 191, A3162.
-  Sutt, A., Cornwell, P. L., Mullany, D., Kinneally, T., & Fraser, J. F. (2015). The use of tracheostomy speaking valves in mechanically ventilated patients results in improved communication and does not prolong ventilation time in cardiothoracic intensive care unit patients. *Journal of Critical Care*, 30(3), 491-494. doi:10.1016/j.jcrc.2014.12.017
-  Sutt, A., & Fraser, J. F. (2015). Speaking valves as part of standard care with tracheostomized mechanically ventilated patients in intensive care unit. *Journal of Critical Care*, 30(5), 1119-1120. doi:10.1016/j.jcrc.2015.06.015
-  Tembo, A. C., Higgins, I., & Parker, V. (2015). The experience of communication difficulties in critically ill patients in and beyond intensive care: Findings from a larger phenomenological study. *Intensive and Critical Care Nursing*, 31(3), 171-178. doi:10.1016/j.iccn.2014.10.004
-  Tolep, K., Getch, C. L., & Criner, G. J. (1996). Swallowing dysfunction in patients receiving prolonged mechanical ventilation. *Chest*, 109(1), 167-172. doi:10.1378/chest.109.1.167
-  Trees, D. W., Smith, J. M., & Hockert, S. (2013). Innovative mobility strategies for the patient with intensive care unit-acquired weakness: A case report. *Physical Therapy*, 93(2), 237-247. doi:10.2522/ptj.20110401
-  Wheeler Hegland, K., Huber, J. E., Pitts, T., & Sapienza, C. M. (2009). Lung volume during swallowing: Single bolus swallows in healthy young adults. *Journal of Speech, Language and Hearing Research*, 52(1), 178-187. doi:10.1044/1092-4388(2008/07-0165)
-  Yu, M. (2010). Tracheostomy patients on the ward: Multiple benefits from a multidisciplinary team? *Critical Care*, 14(1), 109. doi:10.1186/cc8218
-  Zilberberg, M. D., & Shorr, A. F. (2008). Prolonged acute mechanical ventilation and hospital bed utilization in 2020 in the United States: Implications for budgets, plant and personnel planning. *BMC Health Services Research*, 8(1), 242. doi:10.1186/1472-6963-8-242